# 1 Schedule

Problem sessions: Mon, Nov. 19, 7pm-8pm Mon, Nov. 26, 7pm-8pm Wed, Nov. 28, 8:15pm-9:15pm

(There will be no problem session on Wed, Nov. 21)

The quiz will be on Thursday, Nov. 29.

### 2 List of algorithms covered in the class

(B-basic, I-intermediate, A-advanced):

- I: Gaussian elimination (p. 219, DSV).
- I: Computing the dual of a linear program (p. 206, DSV).
- A: The simplex algorithm (p. 213, DSV).
- B: Zero-sum games using linear programming (p. 208, DSV).
- A: Max-flow using linear programming (p. 198, DSV).

# 3 Basic material

#### Important concepts, problems, theorems, and algorithms:

- system of linear equations, rank of a matrix,
- linear program, dual linear program,
- basic matrix notation.

#### Testing method:

- Solve a small linear program (2-3 variables).
- Solve a system of equations using Gaussian elimination (up to 4 variables).
- Given a system of equations, write it in a matrix form.
- Compute rank of a matrix.
- Solve a zero-sum game.

#### Example problems:

7.1 (due Nov 27, 2007) Solve the following linear program:

```
\max x_1 + x_2x_1 + 2x_2 \le 33x_1 + x_2 \le 4x_1 \ge 0x_2 \ge 0
```

7.2 (due Nov 20, 2007) Solve the following system of equations using Gaussian elimination:

$$y_1 + y_2 + y_4 = 4,$$
  

$$y_1 + y_3 = 10,$$
  

$$y_3 + 4y_4 = 3,$$
  

$$y_2 + y_4 = 1.$$

**7.3** (due Nov 20, 2007) Write the following system of equations in the matrix form Ax = b:

$$y_1 + y_2 + y_4 = 4,$$
  

$$y_1 + y_3 = 10,$$
  

$$y_3 + 4y_4 = 3,$$
  

$$y_2 + y_4 = 1.$$

7.4 (due Nov 20, 2007) Compute the rank of the following two matrices

Does the system 2x + 4y + 9z = 3, x - 3y + 5z = -1, 10y - z = 5 have a solution?

**7.5** (due Nov 20, 2007) Write the following system of equations in the matrix form Ax = b:

$$y_1 + y_2 + y_4 = 4,$$
  

$$y_1 + y_3 = 10,$$
  

$$y_3 + 4y_4 = 3,$$
  

$$y_2 + y_4 = 1.$$

# 4 Additional <u>homework</u>

7.6 (due Nov 27, 2007) [Problem rating: I.] Solve the following linear program:

$$\max \sum_{i=1}^{9} x_i,$$

$$x_1 + x_2 \le 1,$$

$$x_2 + x_3 \le 1,$$

$$x_3 + x_4 \le 1,$$

$$x_4 + x_5 \le 1,$$

$$x_5 + x_6 \le 1,$$

$$x_6 + x_7 \le 1,$$

$$x_7 + x_8 \le 1,$$

$$x_8 + x_9 \le 1,$$

$$x_9 + x_1 \le 1,$$

$$x_i \ge 0, i = 1, \dots, 9.$$

Use a linear programming solver to obtain the solution (for example you can use freeware lpsolve or function Maximize in MATHEMATICA (installed in most labs)).

7.7 (due Nov 20, 2007) [Problem rating: I.] There are *n* bottles which contain different mixtures of three chemicals called *A*, *B*, *C*. The *i*-th bottle contains the chemicals in ratio  $a_i : b_i : c_i$  (thus,  $a_i/(a_i + b_i + c_i)$ ) fraction of the *i*-th

bottle is chemical A,  $b_i/(a_i + b_i + c_i)$  fraction of the *i*-th bottle is chemical B, and  $c_i/(a_i + b_i + c_i)$  fraction of the *i*-th bottle is chemical C). We want to know whether it is possible to obtain a mixture containing the chemicals A, B, C in ratio a:b:c by mixing various amounts from the bottles. Give an efficient algorithm for this problem.

For example, if the input is n = 2, the ratios in the bottles are 1 : 1 : 2 and 3 : 3 : 1, and we want to obtain mixture with ratio 1 : 1 : 1 then the answer is YES (we can take 2 parts from the first bottle and 1 part from the second bottle).

7.8 (due Nov 27, 2007) [Problem rating: I.] Construct the linear program dual to the following linear program:

 $\max x_1 + 2x_2 + 3x_3 + 4x_4$   $x_2 + x_3 + x_4 \le 1$   $x_1 + x_3 + x_4 \le 2$   $x_1 + x_2 + x_4 \le 3$   $x_1 + x_2 + x_3 \le 4$   $x_1 \ge 0, x_2 \ge 0, x_3 \ge 0, x_4 \ge 0.$ 

Find the optimal solution of the primal and the dual problem. Use a linear programming solver to obtain the solutions.

### 5 Additional problems from the book (do not turn in)

Try to solve the following problems. A few of them <u>will be</u> on the quiz. We will go over the ones that you choose in the problem sessions.

• 7.1, 7.2, 7.3, 7.4, 7.7, 7.8, 7.11, 7.12, 7.13, 7.15, 7.19, 7.27.